

CLPTM1L Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP9573b

Product Information

Application	WB, E
Primary Accession	Q96KA5
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB24286
Calculated MW	62229
Antigen Region	509-538

Additional Information

Gene ID	81037
Other Names	Cleft lip and palate transmembrane protein 1-like protein, CLPTM1-like protein, Cisplatin resistance-related protein 9, CRR9p, CLPTM1L, CRR9
Target/Specificity	This CLPTM1L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 509-538 amino acids from the C-terminal region of human CLPTM1L.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	CLPTM1L Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	CLPTM1L
Synonyms	CRR9
Function	Scramblase that mediates the translocation of glucosaminylphosphatidylinositol (alpha-D-GlcN-(1-6)-(1,2-diacyl-sn-

glycero-3-phospho)-1D-myo-inositol, GlcN-PI) across the endoplasmic reticulum (ER) membrane, from the cytosolic leaflet to the luminal leaflet of the ER membrane, where it participates in the biosynthesis of glycosylphosphatidylinositol (GPI) (PubMed:[35344438](#)). GPI is a lipid glycoconjugate involved in post-translational modification of proteins (PubMed:[35344438](#)). Can also translocate 1,2-diacyl-sn-glycero-3-phospho-(1D-myo-inositol) (phosphatidylinositol or PI), as well as several other phospholipids (1,2-diacyl-sn-glycero-3-phosphocholine, 1,2-diacyl-sn-glycero-3-phosphoethanolamine), and N-acetylglucosaminyolphosphatidylinositol (GlcNAc-PI) in vitro (PubMed:[35344438](#)).

Cellular Location	Endoplasmic reticulum membrane; Multi-pass membrane protein
Tissue Location	Ubiquitously expressed.


Background

CLPTM1L enhances cisplatin-mediated apoptosis, when overexpressed.

References

- ?Petersen, G.M., et al. Nat. Genet. 42(3):224-228(2010)
- ?Wang, Y., et al. Carcinogenesis 31(2):234-238(2010)
- ?Landi, M.T., et al. Am. J. Hum. Genet. 85(5):679-691(2009)
- ?Chapuis, J., et al. Mol. Psychiatry 14(11):1004-1016(2009)
- ?Broderick, P., et al. Cancer Res. 69(16):6633-6641(2009)

Images



Western blot analysis of CLPTM1L Antibody (C-term) (Cat. #AP9573b) in A2058 cell line lysates (35ug/lane). CLPTM1L (arrow) was detected using the purified Pab.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.