10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

P2X5b Rabbit pAb

Catalog # AP96349

Product Information

Application	WB
Primary Accession	Q8IXW4
Other Accession	Q8IXW4
Reactivity	Human, Mouse
Predicted	Rat, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	47 KDa
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human P2X5b
Epitope Specificity	261-360/422
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SIMILARITY	Belongs to the P2X receptor family.
SUBUNIT	Functional P2XRs are organized as homomeric and heteromeric trimers
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	The P2X receptor family is comprised of ligand-gated ion channels that allow for the increased permeability of calcium into the cell in response to extracellular ATP. The seven P2X receptors, P2X1-P2X7, form either homomeric or heteromeric channels or both. They are characterized by intracellular amino- and carboxy-termini. P2X receptors are expressed in a wide variety of tissues, including neurons, prostate, bladder, pancreas, colon, testis and ovary. The major function of the P2X receptors is to mediate synaptic transmissions between neurons and to other tissues via the binding of extracellular ATP, which acts as a neurotransmitter. The P2X receptors may be involved in the onset of necrosis or apoptosis after prolonged exposure to high concentrations of extracellular ATP.

Additional Information

Gene ID	5026
Other Names	LRH-1; P2X5; P2X5R; Q8IXW4_HUMAN; P2RX5_HUMAN; P2RX5; ATP receptor; Purinergic receptor; P2X5FL; purinergic receptor P2X 5; purinergic receptor P2X, ligand-gated ion channel, 5
Dilution	WB=1:500-2000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	P2X5b Rabbit pAb
Function	P2X5b belongs to the family of purinoceptors for ATP. This receptor functions as a ligand gated ion channel. Several characteristic motifs of ATP gated channels are present in its primary structure, but, unlike other members of the purinoceptors family, this receptor has only a single transmembrane domain. Three transcript variants encoding distinct isoforms have been identified for this gene.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.