

ITGA11 Rabbit pAb

Catalog # AP97261

Product Information

Application	WB, IHC-P, IHC-F, IF, E
Primary Accession	Q9UKX5
Other Accession	Q9UKX5
Host	Rabbit
Clonality	Polyclonal
Calculated MW	133470
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human ITGA11
Epitope Specificity	51-150/1188
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SIMILARITY	Belongs to the integrin alpha chain family. Contains 7 FG-GAP repeats. Contains 1 VWFA domain.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Integrins are heterodimers composed of noncovalently associated transmembrane alpha and beta subunits, which heterodimerize to produce more than 20 different receptors. Most Integrin receptors bind ligands that are components of the extracellular matrix, including Fibronectin, collagen (COL) and Vitronectin. Certain Integrins can also bind to soluble ligands, such as Fibrinogen, or to counterreceptors on adjacent cells, such as the intracellular adhesion molecules (ICAMs), leading to cellular aggregation. Integrin α 1, also known as ITGA11 or MSTP018, is a 1,189 amino acid single-pass type I membrane protein that contains one VWFA domain and seven FG-GAP repeats. Expressed at high levels in heart and uterus and present at lower levels in pancreas, kidney, skeletal muscle, placenta, lung, colon and brain, Integrin alpha 11 exists as a heterodimer with Integrin beta1 and functions as a receptor for collagen.

Additional Information

Gene ID	22801
Other Names	HsT18964; ITA11_HUMAN; ITGA11; integrin subunit alpha 11; integrin, alpha 11
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	ITGA11
Function	Integrin alpha-11/beta-1 is a receptor for collagen.
Cellular Location	Membrane; Single-pass type I membrane protein.
Tissue Location	According to PubMed:10464311, highest levels of expression in uterus and heart, intermediate levels in skeletal muscle and intermediate to low levels in pancreas, kidney and placenta According to PubMed:10486209, also found in brain, colon, lung, small intestine, stomach, testis, salivary glands, thyroid glands and prostate. Very low levels in peripheral blood lymphocytes, fetal brain and fetal liver.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.