

GPBB Rabbit pAb

Catalog # AP97329

Product Information

Application	IHC-P, IHC-F, IF, E
Primary Accession	P11216
Other Accession	P11216
Host	Rabbit
Clonality	Polyclonal
Calculated MW	96696
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human GPBB/PYGB
Epitope Specificity	301-400/843
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SIMILARITY	Belongs to the glycogen phosphorylase family.
SUBUNIT	Homodimer. Dimers associate into a tetramer to form the enzymatically active phosphorylase A.
Post-translational modifications	Phosphorylation of Ser-15 converts phosphorylase B (unphosphorylated) to phosphorylase A.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Glycolysis is an evolutionarily conserved series of ten chemical reactions that utilizes eleven enzymes to concomitantly generate pyruvate and ATP from glucose. Phospho-fructose kinase-2/fructose 2,6-bisphosphatase (PFK-2) stimulates the synthesis and degradation of fructose 2,6-bisphosphate. Glycogen phosphorylase (also known as GP) is an allosteric enzyme important in carbohydrate metabolism. Its activity is regulated through either noncovalent binding of metabolites or by covalent modification. Glycogen phosphorylase catalyzes the phosphorylation of glycogen to Glc-1-P. There are three genes which encode the brain, liver and muscle forms of glycogen phosphorylase, PYGB, PYGL and PYGM. Because of its fundamental role in the metabolism of glycogen, glycogen phosphorylase has been a target for the design of inhibitory compounds, which could be valuable in the therapeutic treatment of type 2 diabetes mellitus.

Additional Information

Gene ID	5834
Other Names	GPBB; GLYPHOA; PYGB_HUMAN; PYGB; 2.4.1.1; PYGB_MOUSE; PYGB_RAT; glycogen phosphorylase B; phosphorylase, glycogen; brain; glycogen phosphorylase, brain form
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000-10000

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name

PYGB {ECO:0000303|PubMed:3346228}

Function

Glycogen phosphorylase that regulates glycogen mobilization (PubMed:[27402852](#)). Phosphorylase is an important allosteric enzyme in carbohydrate metabolism (PubMed:[3346228](#)). Enzymes from different sources differ in their regulatory mechanisms and in their natural substrates (PubMed:[3346228](#)). However, all known phosphorylases share catalytic and structural properties (PubMed:[3346228](#)).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.