

PCBP1 Rabbit pAb

Catalog # AP97914

Product Information

Application	IHC-P, IHC-F, IF, E
Primary Accession	Q15365
Other Accession	Q15365
Host	Rabbit
Clonality	Polyclonal
Calculated MW	37498
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human PCBP1
Epitope Specificity	201-300/356
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SIMILARITY	Contains 3 KH domains.
Post-translational modifications	Phosphorylated; lowers poly(rC)-binding activity.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	This intronless gene is thought to have been generated by retrotransposition of a fully processed PCBP-2 mRNA. This gene and PCBP-2 have paralogues (PCBP3 and PCBP4) which are thought to have arisen as a result of duplication events of entire genes. The protein encoded by this gene appears to be multifunctional. It along with PCBP-2 and hnRNP-K corresponds to the major cellular poly(rC)-binding protein. It contains three K-homologous (KH) domains which may be involved in RNA binding. This encoded protein together with PCBP-2 also functions as translational coactivators of poliovirus RNA via a sequence-specific interaction with stem-loop IV of the IRES and promote poliovirus RNA replication by binding to its 5'-terminal cloverleaf structure. It has also been implicated in translational control of the 15-lipoxygenase mRNA, human Papillomavirus type 16 L2 mRNA, and hepatitis A virus RNA. The encoded protein is also suggested to play a part in formation of a sequence-specific alpha-globin mRNP complex which is associated with alpha-globin mRNA stability. [provided by RefSeq, Jul 2008]

Additional Information

Gene ID	5093
Other Names	HEL-S-85; HNRPE1; HNRPX; hnRNP-E1; hnRNP-X; WBP17; [a]CP-1; alphaCP-1; hnRNP E1; RGD1561319; PCBP1_BOVIN; PCBP1; Alpha-CP1; PCBP1_HUMAN; Heterogeneous nuclear ribonucleoprotein E1 (hnRNP E1); Nucleic acid-binding protein SUB2.3; PCBP1_MOUSE; PCBP1_RABIT; poly(rC) binding protein 1; poly(rC)-binding protein 1; heterogeneous nuclear ribonucleoprotein E1

Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:500 0-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	PCBP1 {ECO:0000303 PubMed:7607214, ECO:0000312 HGNC:HGNC:8647}
Function	Single-stranded nucleic acid binding protein that binds preferentially to oligo dC (PubMed: 15731341 , PubMed: 7556077 , PubMed: 7607214 , PubMed: 8152927). Together with PCBP2, required for erythropoiesis, possibly by regulating mRNA splicing (By similarity).
Cellular Location	Nucleus. Cytoplasm. Note=Loosely bound in the nucleus (PubMed:7607214). May shuttle between the nucleus and the cytoplasm (PubMed:7607214).
Tissue Location	Abundantly expressed in skeletal muscle, thymus and peripheral blood leukocytes while a lower expression is observed in prostate, spleen, testis, ovary, small intestine, heart, liver, adrenal and thyroid glands.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.