

RRAS Rabbit pAb

Catalog # AP98144

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	P10301
Other Accession	P10301
Host	Rabbit
Clonality	Polyclonal
Calculated MW	23480
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human RRAS
Epitope Specificity	131-218/218
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SIMILARITY	Belongs to the small GTPase superfamily. Ras family.
SUBUNIT	Interacts with PLCE1. Interacts (active GTP-bound form preferentially) with RGS14
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	H-Ras, K-Ras and N-Ras represent the prototype members of a family of small G proteins that are frequently activated to an oncogenic state in a wide variety of human tumors. Activation is due to point mutations at either position 12 or 61 within their coding sequence. Such mutations cause these proteins to be constitutively converted to their active, rather than the inactive, GDP-bound state. The related human R-Ras gene was initially cloned by low stringency hybridization methods. The R-Ras protein has been shown to interact with the Bcl-2 gene product involved in a signaling pathway that intervenes with apoptosis. Positions 38 and 87 (analogous to positions 12 and 61 in H-Ras) mutants of R-Ras have been shown to be capable of activating oncogenic function. Data has been obtained indicating that R-Ras may exert its biological effect by means of modulating the activity of the Raf-1 kinase on its direct downstream effectors.

Additional Information

Gene ID	6237
Other Names	R-Ras; RRAS1; p23; RRAS_HUMAN; RRAS; 3.6.5.2; RRAS_MOUSE; RRAS_RAT; RAS related; related RAS viral (r-ras) oncogene homolog; Oncogene RRAS
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	RRAS
Function	GTP-binding protein with GTPase activity, likely involved in the regulation of MAPK signaling pathway and thereby controlling multiple cellular processes (PubMed: 39809765). Regulates the organization of the actin cytoskeleton (PubMed: 16537651 , PubMed: 18270267). With OSPBL3, modulates integrin beta-1 (ITGB1) activity (PubMed: 18270267).
Cellular Location	Cell membrane; Lipid-anchor; Cytoplasmic side. Note=Inner surface of plasma membrane possibly with attachment requiring acylation of the C- terminal cysteine (By similarity with RAS)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.