

LRCH1 Rabbit pAb

Catalog # AP98365

Product Information

Application	WB, IHC-P, IHC-F, IF
Primary Accession	Q9Y2L9
Other Accession	Q9Y2L9
Host	Rabbit
Clonality	Polyclonal
Calculated MW	80875
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human LRCH1
Epitope Specificity	221-320/728
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SIMILARITY	Contains 1 CH (calponin-homology) domain. Contains 9 LRR (leucine-rich) repeats.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Members of the leucine-rich repeat family include LRCH1, LRCH2, LRCH3 and LRCH4. All family members contain one calponin-homology domain and nine leucine-rich repeats. The gene encoding LRCH1, also known as Neuronal protein 81 (NP81), has been suggested to be a possible gene locus for susceptibility to osteoarthritis, especially in women, though studies have shown conflicting results. LRCH1 is a 728 amino acid protein that is expressed at highest levels in cerebellum, with lower levels of expression in spinal cord, ovary, kidney and amygdala. In pigs, the gene encoding LRCH1 is one of 22 genes that is associated with leg and body conformation traits that affect productivity and health. There are two isoforms of LRCH1 that are expressed as a result of alternative splicing events.

Additional Information

Gene ID	23143
Other Names	CHDC1; NP81; LRCH1_HUMAN; LRCH1; Calponin homology domain-containing protein 1; Neuronal protein 81 (NP81); KIAA1016; leucine rich repeats and calponin homology domain containing 1; calponin homology (CH) domain containing 1; leucine-rich repeats and calponin homology (CH) domain containing 1
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:50-200
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	LRCH1
Synonyms	CHDC1, KIAA1016
Function	Acts as a negative regulator of GTPase CDC42 by sequestering CDC42-guanine exchange factor DOCK8. Probably by preventing CDC42 activation, negatively regulates CD4(+) T-cell migration.
Cellular Location	Cytoplasm.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.