

Semaphorin 3F Rabbit pAb

Catalog # AP99704

Product Information

Application	WB, IHC-P, IHC-F, IF
Primary Accession	Q13275
Other Accession	Q13275
Reactivity	Rat, Mouse
Predicted	Pig, Human, Rabbit, Chicken, Dog, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88381
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human Semaphorin 3F
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBUNIT	Belongs to the semaphorin family. Contains 1 Ig-like C2-type (immunoglobulin-like) domain. Contains 1 Sema domain.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	The semaphorins are a family of proteins that are involved in signaling. All the family members have a secretion signal, a 500-amino acid sema domain, and 16 conserved cysteine residues(Kolodkin et al., 1993 [PubMed 8269517]). Sequence comparisons have grouped the secreted semaphorins into 3 general classes, all of which also have an immunoglobulin domain. The semaphorin III family, consisting of human semaphorin III (SEMA3A; MIM 603961), chicken collapsin, and mouse semaphorins A, D, and E, all have a basic domain at the C terminus. Chicken collapsin contributes to path finding by axons during development by inhibiting extension of growth cones (Luo et al., 1993 [PubMed 8402908]) through an interaction with a collapsin response mediator protein of relative molecular mass 62K (CRMP62) (Goshima et al., 1995 [PubMed 7637782]), a putative homolog of an axonal guidance associated UNC33 gene product (MIM 601168). SEMA3F is a secreted member of the semaphorin III family.

Additional Information

Gene ID	6405
Other Names	SEMA-IV; SEMA4; SEMAK; SemaIV; SEM3F_HUMAN; SEMA3F; Sema III/F; Semaphorin IV (Sema IV); SEM3F_MOUSE; semaphorin 3F; sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3F; sema IV
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500

Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
----------------	---

Protein Information

Name	SEMA3F
Function	May play a role in cell motility and cell adhesion.
Cellular Location	Secreted.
Tissue Location	Expressed abundantly but differentially in a variety of neural and nonneural tissues. There is high expression in mammary gland, kidney, fetal brain, and lung and lower expression in heart and liver

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.