

# Anti-AA2AR / Adenosine A2aR Reference Antibody (3F6-9G5)

Recombinant Antibody  
Catalog # APR10070

## Product Information

---

<b>Application</b>	FC, Kinetics, Animal Model
<b>Primary Accession</b>	<a href="#">P29274</a>
<b>Reactivity</b>	Human
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG1
<b>Calculated MW</b>	44707

## Additional Information

---

<b>Target/Specificity</b>	AA2AR / Adenosine A2aR
<b>Endotoxin Conjugation</b>	Unconjugated
<b>Expression system</b>	CHO Cell
<b>Format</b>	Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

## Protein Information


---

<b>Name</b>	ADORA2A
<b>Synonyms</b>	ADORA2
<b>Function</b>	Receptor for adenosine (By similarity). The activity of this receptor is mediated by G proteins which activate adenylyl cyclase (By similarity).
<b>Cellular Location</b>	Cell membrane {ECO:0000250 UniProtKB:P30543}; Multi-pass membrane protein {ECO:0000250 UniProtKB:P30543} Note=Colocalizes with GAS2L2 at neuronal processes {ECO:0000250 UniProtKB:P30543}


## Images

---


Anti-AA2AR / Adenosine A2aR Reference Antibody  
(3F6-9G5) on SDS-PAGE under reducing (R) condition. The  
gel was stained with Coomassie Blue. The purity of the



protein is greater than 95%



The purity of Anti-AA2AR / Adenosine A2aR Reference Antibody (3F6-9G5) is more than 98.85% ,determined by SEC-HPLC.



Immobilized human A2aR VLP at 2 µg/mL can bind Anti-AA2AR / Adenosine A2aR Reference Antibody (3F6-9G5), EC50=0.02547 µg/mL

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.