

# Anti-FOLH1 / PSMA Reference Antibody (pelgifatamAb)

Recombinant Antibody Catalog # APR10659

#### **Product Information**

**Application** FC, Kinetics, Animal Model

Primary Accession

Reactivity

Clonality

Isotype

Calculated MW

Q04609

Human

Monoclonal

IgG1

84331

### **Additional Information**

Target/Specificity FOLH1 / PSMA

**Endotoxin** 

**Conjugation** Unconjugated

**Expression system** CHO Cell

**Format** Purified monoclonal antibody supplied in PBS, pH6.0, without

preservative. This antibody is purified through a protein A column.

### **Protein Information**

Name FOLH1 (<u>HGNC:3788</u>)

**Synonyms** FOLH, NAALAD1, PSM, PSMA

**Function** Has both folate hydrolase and N-acetylated-alpha-linked- acidic dipeptidase

(NAALADase) activity. Has a preference for tri- alpha-glutamate peptides. In the intestine, required for the uptake of folate. In the brain, modulates excitatory neurotransmission through the hydrolysis of the neuropeptide, N-aceylaspartylglutamate (NAAG), thereby releasing glutamate. Involved in


prostate tumor progression.

**Cellular Location** Cell membrane; Single-pass type II membrane protein


**Tissue Location** Highly expressed in prostate epithelium. Detected in urinary bladder, kidney,

testis, ovary, fallopian tube, breast, adrenal gland, liver, esophagus, stomach, small intestine, colon and brain (at protein level). Detected in the small intestine, brain, kidney, liver, spleen, colon, trachea, spinal cord and the capillary endothelium of a variety of tumors. Expressed specifically in jejunum brush border membranes. In the brain, highly expressed in the ventral striatum and brain stem. Also expressed in fetal liver and kidney Isoform PSMA' is the most abundant form in normal prostate. Isoform PSMA-1 is the

## **Images**



Anti-FOLH1 / PSMA Reference Antibody (pelgifatamAb) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-FOLH1 / PSMA Reference Antibody (pelgifatamAb)is more than 95% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.