



# Anti-Albumin Reference Antibody (Numab patent anti-HSA)

Recombinant Antibody Catalog # APR10768

### **Product Information**

**Application** FC, Kinetics, Animal Model

69367

Primary Accession P02768

Reactivity Human, Mouse Clonality Monoclonal IgG1

#### **Additional Information**

Target/Specificity Albumin

**Endotoxin** 

**Calculated MW** 

**Conjugation** Unconjugated

**Expression system** CHO Cell

Format Purified monoclonal antibody supplied in PBS, pH6.0, without

preservative. This antibody is purified through a protein A column.

#### **Protein Information**

Name ALB


**Function** Binds water, Ca(2+), Na(+), K(+), fatty acids, hormones, bilirubin and drugs

(Probable). Its main function is the regulation of the colloidal osmotic pressure of blood (Probable). Major zinc transporter in plasma, typically binds about 80% of all plasma zinc (PubMed:19021548). Major calcium and magnesium transporter in plasma, binds approximately 45% of circulating calcium and magnesium in plasma (By similarity). Potentially has more than


two calcium-binding sites and might additionally bind calcium in a non-specific manner (By similarity). The shared binding site between zinc and calcium at residue Asp-273 suggests a crosstalk between zinc and calcium transport in the blood (By similarity). The rank order of affinity is zinc > calcium > magnesium (By similarity). Binds to the bacterial siderophore enterobactin and inhibits enterobactin-mediated iron uptake of E.coli from ferric transferrin, and may thereby limit the utilization of iron and growth of enteric bacteria such as E.coli (PubMed:6234017). Does not prevent iron uptake by the bacterial siderophore aerobactin (PubMed:6234017).

**Cellular Location** Secreted.

## **Images**



Anti-Albumin Reference Antibody (Numab patent anti-HSA) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-Albumin Reference Antibody (Numab patent anti-HSA)is more than 95% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.