

Anti-ANGPTL4 Reference Antibody (Nanyang Tech.U. patent anti-ANGPTL4)

Recombinant Antibody
Catalog # APR10783

Product Information

Application	FC, Kinetics, Animal Model
Primary Accession	Q9BY76
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	45214

Additional Information

Target/Specificity	ANGPTL4
Endotoxin Conjugation	Unconjugated
Expression system	CHO Cell
Format	Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Protein Information


Name	ANGPTL4
Synonyms	ARP4, HFARP, PGAR {ECO:0000303 PubMed:10
Function	Mediates inactivation of the lipoprotein lipase LPL, and thereby plays a role in the regulation of triglyceride clearance from the blood serum and in lipid metabolism (PubMed: 19270337 , PubMed: 21398697 , PubMed: 27929370 , PubMed: 29899144). May also play a role in regulating glucose homeostasis and insulin sensitivity (Probable). Inhibits proliferation, migration, and tubule formation of endothelial cells and reduces vascular leakage (PubMed: 14583458 , PubMed: 17068295). Upon heterologous expression, inhibits the adhesion of endothelial cell to the extracellular matrix (ECM), and inhibits the reorganization of the actin cytoskeleton, formation of actin stress fibers and focal adhesions in endothelial cells that have adhered to ANGPTL4-containing ECM (in vitro) (PubMed: 17068295). Depending on context, may modulate tumor-related angiogenesis (By similarity).
Cellular Location	Secreted. Secreted, extracellular space, extracellular matrix. Note=The unprocessed form interacts with the extracellular matrix (PubMed:17068295,

PubMed:21398697). This may constitute a dynamic reservoir, a regulatory mechanism of the bioavailability of ANGPTL4 (Probable).


Tissue Location

Detected in blood plasma (at protein level) (PubMed:29899519). Detected in liver (PubMed:10698685). Detected in white fat tissue and placenta (PubMed:10866690). Expressed at high levels in the placenta, heart, liver, muscle, pancreas and lung but expressed poorly in the brain and kidney.

Images



Anti-ANGPTL4 Reference Antibody (Nanyang Tech.U. patent anti-ANGPTL4) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-ANGPTL4 Reference Antibody (Nanyang Tech.U. patent anti-ANGPTL4) is more than 98.6% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.