

# Anti-CD59 Reference Antibody (Quark patent anti-CD59)

Recombinant Antibody Catalog # APR10814

# **Product Information**

| Application       | FC, Kinetics, Animal Model |
|-------------------|----------------------------|
| Primary Accession | <u>P13987</u>              |
| Reactivity        | Human                      |
| Clonality         | Monoclonal                 |
| Isotype           | IgG1                       |
| Calculated MW     | 14177                      |

### **Additional Information**

| Target/Specificity       | CD59  |
|--------------------------|---|
| Endotoxin<br>Conjugation | Unconjugated  |
| Expression system        | CHO Cell  |
| Format                   | Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column. |

## **Protein Information**

| Name              | CD59 {ECO:0000303 PubMed:2475570, ECO:0000312 HGNC:HGNC:1689}   |
|-------------------|---|
| Function          | Potent inhibitor of the complement membrane attack complex (MAC) action,<br>which protects human cells from damage during complement activation<br>(PubMed: <u>11882685</u> , PubMed: <u>1698710</u> , PubMed: <u>2475111</u> , PubMed: <u>2475570</u> ,<br>PubMed: <u>2606909</u> , PubMed: <u>9053451</u> ). Acts by binding to the beta-haipins of<br>C8 (C8A and C8B) components of the assembling MAC, forming an<br>intermolecular beta-sheet that prevents incorporation of the multiple copies<br>of C9 required for complete formation of the osmolytic pore<br>(PubMed: <u>11882685</u> , PubMed: <u>1698710</u> , PubMed: <u>36797260</u> ). |
| Cellular Location | Cell membrane; Lipid-anchor, GPI-anchor. Secreted. Note=Localizes to the cell surface (PubMed:36797260). Soluble form found in a number of tissues (PubMed:8670172).  |

#### Images



on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%

The purity of Anti-CD59 Reference Antibody (Quark patent anti-CD59)is more than 95% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.