



Anti-CD7 Reference Antibody (Persongen patent anti-CD7)

Recombinant Antibody Catalog # APR10817

Product Information

Application FC, Kinetics, Animal Model

25409

Primary Accession P09564
Reactivity Human
Clonality Monoclonal
Isotype IgG1

Additional Information

Target/Specificity CD7

Endotoxin

Calculated MW

Conjugation Unconjugated

Expression system CHO Cell

Format Purified monoclonal antibody supplied in PBS, pH6.0, without

preservative. This antibody is purified through a protein A column.

Protein Information

Name CD7

Function Transmembrane glycoprotein expressed by T-cells and natural killer (NK)

cells and their precursors (PubMed:<u>7506726</u>). Plays a costimulatory role in T-cell activation upon binding to its ligand K12/SECTM1 (PubMed:<u>10652336</u>). In turn, mediates the production of cytokines such as IL-2 (PubMed:<u>1709867</u>).


On resting NK-cells, CD7 activation results in a significant induction of

interferon-gamma levels (PubMed:7506726).


Cellular Location Membrane; Single-pass type I membrane protein.

Tissue Location Expressed on T-cells and natural killer (NK) cells and their precursors.

Images



on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-CD7 Reference Antibody (Persongen patent anti-CD7) is more than 95% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.