10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CTRP6 Antibody

Catalog # ASC10342

Product Information

Application	WB, IF, E, IHC-P
Primary Accession	Q9BXI9
Other Accession	AAQ88740, 37181873
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	30861
Concentration (mg/ml)	1 mg/mL
Conjugate	Unconjugated
Application Notes	CTRP6 antibody can be used for the detection of CTRP6 by Western blot at 0.5 - 2 g/mL. Antibody can also be used for immunohistochemistry starting at 10 g/mL. For immunofluorescence start at 20 g/mL.

Additional Information

Gene ID	114904
Other Names	CTRP6 Antibody: CTFP6, CTRP6, ZACRP6, UNQ581/PRO1151, Complement C1q tumor necrosis factor-related protein 6, C1q and tumor necrosis factor related protein 6
Target/Specificity	C1QTNF6; These proteins often migrate in SDS-PAGE at positions other than their predicted size.
Reconstitution & Storage	CTRP6 antibody can be stored at 4℃ for three months and -20℃, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Precautions	CTRP6 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	C1QTNF6
Synonyms	CTRP6
Cellular Location	Secreted.

Background


CTRP6 Antibody: Adipose tissue of an organism plays a major role in regulating physiologic and pathologic processes such as metabolism and immunity by producing and secreting a variety of bioactive molecules termed adipokines. One highly conserved family of adipokines is adiponectin/ACRP30 and its structural and functional paralogs, the C1q/tumor necrosis factor-alpha-related proteins (CTRPs) 1-7. Unlike adiponectin, which is expressed exclusively by differentiated adipocytes, the CTRPs are expressed in a wide variety of tissues. These proteins are thought to act mainly on liver and muscle tissue to control glucose and lipid metabolism. An analysis of the crystal structure of adiponectin revealed a structural and evolutionary link between TNF and C1q-containing proteins, suggesting that these proteins arose from a common ancestral innate immunity gene. CTRP6 contains at least 4 glycosylation motifs, suggesting that CTRP6 may be highly post-translationally modified.

References


Fantuzzi G. Adipose tissue, adipokines, and inflammation. J. Allergy Clin. Immunol. 2005; 115:911-9.

Tsao T-S, Lodish HF, and Fruebis J. ACRP30, a new hormone controlling fat and glucose metabolism. Euro. J. Pharmacol. 2002; 440:213-21.
Wong GW, Wang J, Hug C, et al. A family of Acrp30/ adiponectin structural and functional paralogs. Proc. Natl. Acad. Sci. USA 2004; 101:10302-7.
Shapiro L and Scherer PE. The crystal structure of a complement-1q family protein suggests an evolutionary link to tumor necrosis factor. Curr. Biol. 1998; 8:335-8.

Images




Western blot analysis of CTRP6 in mouse brain cell lysate with CTRP6 antibody at (A) 0.5, (B) 1 and (C) 2 µg/mL.



Immunohistochemistry of CTRP6 in human brain tissue with CTRP6 antibody at 10 µg/mL.

Immunofluorescence of CTRP6 in Human Brain cells with CTRP6 antibody at 20 µg/mL.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.