

RIG-1 Antibody

Catalog # ASC10467

Product Information

Application	WB, E, IHC-P
Primary Accession	O95786
Other Accession	O95786 , 81170421
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	106600
Concentration (mg/ml)	1 mg/mL
Conjugate	Unconjugated
Application Notes	RIG-1 antibody can be used for the detection of RIG-1 by Western blot at 0.5 - 2 μ g/mL. Antibody can also be used for immunohistochemistry starting at 5 μ g/mL.

Additional Information

Gene ID	23586
Other Names	RIG-1 Antibody: RIGI, RIG-I, RLR-1, Probable ATP-dependent RNA helicase DDX58, DEAD box protein 58, DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
Target/Specificity	DDX58;
Reconstitution & Storage	RIG-1 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Precautions	RIG-1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	RIGI (HGNC:19102)
Synonyms	DDX58
Function	