

Anti-MOUSE IgG F(c) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1414

Product Information

Description Anti-MOUSE IgG F(c) (GOAT) Antibody

Host Goat

Conjugate Unconjugated

Target SpeciesMouseReactivityMouseClonalityPolyclonal

Physical State Liquid (sterile filtered)

 $\begin{tabular}{ll} \mbox{Host Isotype} & \mbox{IgG} \\ \mbox{Target Isotype} & \mbox{IgG F(c)} \\ \end{tabular}$

Buffer 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Anti-Mouse IgG F(c) fragment was produced by repeated immunization with

Mouse IgG F(c) fragment in goat.

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Additional Information

Shipping Condition Wet Ice

Application Note Anti-Mouse IgG F(c) fragment is suitable for use in immunoelectrophoresis,

western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by

the end user.

Purity This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Mouse IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG, Mouse IgG F(c) and Mouse Serum. No reaction was

observed against Mouse IgG F(ab')2.

Storage Condition Store vial at 4° C prior to opening. This product is stable for several weeks

at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid

cycles of freezing and thawing.

Precautions NoteThis product is for research use only and is not intended for therapeutic or

diagnostic applications.

Background

Anti-Mouse IgG F(c) fragment antibody generated in goat detects specifically Mouse IgG F(c) fragment. This secondary antibody anti-Mouse is ideal for investigators who routinely perform ELISA, Sandwich ELISA,

titration assays, western-blot, immunoprecipitation and more generally immunoassays.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.