

## Anti-Guinea Pig IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody

Goat Polyclonal, Texas Red® Catalog # ASR1900

## **Product Information**

**Description** Anti-GUINEA PIG IgG (H&L) (GOAT) Antibody Texas Red ™ Conjugated

**Host** Goat

Conjugate Texas Red®

**FP Value** 2.5 moles Texas Red® per mole of IgG

Target SpeciesGuinea PigClonalityPolyclonalPhysical StateLyophilized

Host Isotype IgG

Target Isotype IgG (H&L)

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Immunogen** Guinea Pig IgG whole molecule

**Reconstitution Volume** 1.0 mL

**Reconstitution Buffer** Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Sodium Azide

## **Additional Information**

Shipping Condition Ambient

**Purity** This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Guinea Pig IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat

Serum, Guinea Pig IgG and Guinea Pig Serum.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

**Precautions Note**This product is for research use only and is not intended for therapeutic or

diagnostic applications.

## **Background**

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.