

Anti-Horse IgG (H&L) (Peroxidase Conjugated) Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish) Catalog # ASR1910

Product Information

	1) (COAT) Antibody Porovidase Conjugated
	L) (GOAT) Antibody Peroxidase Conjugated
Goat	
te Peroxidase (Horsera	idish)
pecies Horse	
Polyclonal	
State Lyophilized	
type IgG	
sotype IgG (H&L)	
0.02 M Potassium F	hosphate, 0.15 M Sodium Chloride, pH 7.2
gen Horse IgG whole m	olecule
itution Volume 1.0 mL	
itution Buffer Restore with deioni	zed water (or equivalent)
r 10 mg/mL Bovine S	erum Albumin (BSA) - Immunoglobulin and Protease free
ative 0.01% (w/v) Gentan	nicin Sulfate. Do NOT add Sodium Azide!
peciesHorseyPolyclonalI StateLyophilizedtypeIgGsotypeIgG (H&L)0.02 M Potassium FgenHorse IgG whole mitution Volume1.0 mLitution BufferRestore with deionier10 mg/mL Bovine S	hosphate, 0.15 M Sodium Chloride, pH 7.2 olecule zed water (or equivalent) erum Albumin (BSA) - Immunoglobulin and Protease fre

Additional Information

Shipping Condition	Ambient
Purity	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Horse IgG and Horse Serum.
Storage Condition	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Precautions Note	This product is for research use only and is not intended for therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.