10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



F(ab')2 Anti-Guinea Pig IgG (H&L) (Fluorescein Conjugated) Secondary Antibody

Rabbit Polyclonal, Fluorescein (FITC) Catalog # ASR2080

Product Information

Description F(ab')2 Anti-GUINEA PIG IgG [H&L] (RABBIT) Antibody Fluorescein

Conjugated

Rabbit Host

Conjugate Fluorescein (FITC)

2.5 moles Fluorescein (FITC) per mole of IgG F(ab')2 **FP Value**

Target Species Guinea Pig **Polyclonal** Clonality **Physical State** Lyophilized **Host Isotype** IgG F(ab')2

IgG (H&L) Target Isotype

Buffer 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Guinea Pig IgG whole molecule **Immunogen**

Reconstitution Volume 500 □L

Reconstitution Buffer Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Additional Information

Shipping Condition Ambient

Application Note Suitable for immunomicroscopy and flow cytometry or FACS analysis as well

> as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency,

high titer and specificity.

This product was prepared from monospecific antiserum by immunoaffinity **Purity**

> chromatography using Guinea Pig IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin

digestion and chromatographic separation. Assay by

immunoelectrophoresis resulted in a single precipitin arc against

anti-Fluorescein, anti-Rabbit Serum, Guinea Pig IgG and Guinea Pig Serum. No reaction was observed against anti-Pepsin or anti-Rabbit IgG F(c). Limited

reactivity will occur against Armenian Hamster IgG.

Storage Condition Store vial at 4° C prior to restoration. For extended storage aliquot

> contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.