10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



## F(ab')2 Anti-Rabbit IgG (H&L) (Biotin Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR2094

## **Product Information**

**Description** F(ab')2 Anti-RABBIT IgG (H&L) (GOAT) Antibody Biotin Conjugated Min X

Bv Ch Gt GP Ham Hs Hu Ms Rt & Sh Serum Proteins

**Host** Goat **Conjugate** Biotin

**FP Value** 10-20 moles Biotin per mole of IgG F(ab')2

Target SpeciesRabbitReactivityRabbitClonalityPolyclonalPhysical StateLyophilizedHost IsotypeIgG F(ab')2

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Immunogen Anti-Rabbit IgG F(ab')2 fragment was produced by repeated

immunization with Rabbit IgG whole molecule in goat.

Reconstitution Volume 500 □

**Reconstitution Buffer** Restore with deionized water (or equivalent)

**Stabilizer** 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Sodium Azide

## **Additional Information**

Shipping Condition Ambient

**Application Note** F(ab')2 anti-Rabbit IgG is suitable for use in immunoelectrophoresis,

western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by

the end user.

**Purity** This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis

resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum, Rabbit IgG and Rabbit Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c) or Bovine, Horse, Human, Mouse, Rat and Sheep Serum

Proteins.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room

temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

**Precautions Note** 

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## **Background**

F(ab')2 anti-Rabbit IgG antibody generated in goat detects specifically Rabbit IgG whole molecule. This secondary antibody anti-Rabbit is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally immunoassays.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.