

Anti-Ferret IgG IgA IgM (H&L) (Rhodamine Conjugated) Secondary Antibody

Goat Polyclonal, Rhodamine (TRITC) Catalog # ASR2116

Product Information

Description Anti-FERRET IgG IgA IgM (H&L) (GOAT) Antibody Rhodamine Conjugated

Host Goat

Conjugate Rhodamine (TRITC)

FP Value 6.0 moles Rhodamine (TRITC) per mole of IgG

Target SpeciesFerretClonalityPolyclonalPhysical StateLyophilized

Host Isotype IgG

Target Isotype IgG IgA IgM

Buffer 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Ferret IgG IgA and IgM whole molecules

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Additional Information

Shipping Condition Ambient

Purity This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Ferret antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat

Serum. This reagent is suitable for the detection of all Ferret

immunoglobulin isotypes and chain combinations.

Storage Condition Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

Precautions NoteThis product is for research use only and is not intended for therapeutic or

diagnostic applications.

Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor

imaging, utilizing various commercial platforms.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.