

# Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody

Goat Polyclonal, Fluorescein (FITC)

Catalog # ASR2120

## Product Information

---

|                              |  |
|------------------------------|--|
| <b>Description</b>           | Anti-FERRET IgG IgA IgM (H&L) (GOAT) Antibody Fluorescein Conjugated   |
| <b>Host</b>                  | Goat   |
| <b>Conjugate</b>             | Fluorescein (FITC)   |
| <b>FP Value</b>              | 2.8 moles Fluorescein (FITC) per mole of IgG                           |
| <b>Target Species</b>        | Ferret   |
| <b>Clonality</b>             | Polyclonal   |
| <b>Physical State</b>        | Lyophilized  |
| <b>Host Isotype</b>          | IgG  |
| <b>Target Isotype</b>        | IgG IgA IgM  |
| <b>Buffer</b>                | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2             |
| <b>Immunogen</b>             | Ferret IgG IgA and IgM whole molecules                                 |
| <b>Reconstitution Volume</b> | 1.0 mL   |
| <b>Reconstitution Buffer</b> | Restore with deionized water (or equivalent)                           |
| <b>Stabilizer</b>            | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free |
| <b>Preservative</b>          | 0.01% (w/v) Sodium Azide   |

## Additional Information

---

|                           |  |
|---------------------------|--|
| <b>Shipping Condition</b> | Ambient  |
| <b>Purity</b>             | This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Ferret IgG, Ferret IgA and Ferret IgM. This reagent is suitable for the detection of all Ferret isotypes and chain combinations. |
| <b>Storage Condition</b>  | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.                                |
| <b>Precautions Note</b>   | This product is for research use only and is not intended for therapeutic or diagnostic applications.  |

## Background

---

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor

imaging, utilizing various commercial platforms.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.