

Rat IgG Alkaline Phosphatase

Catalog # ASR2276

Product Information

Description Conjugate Physical State Host Isotype Buffer	RAT IgG whole molecule Alkaline Phosphatase conjugated Alkaline Phosphatase (Calf Intestine) Liquid (sterile filtered) IgG 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0
Species of Origin	Rat

Additional Information

Shipping Condition	Wet Ice			
Purity	This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by conjugation and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rat IgG, anti-Rat Serum and anti-Alkaline Phosphatase (calf intestine).			
Storage Condition	Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity.			
Precautions Note	This product is for research use only and is not intended for therapeutic or diagnostic applications.			

Images

kDa 245 - 180 - 135 -	M	1	2	3	4
100 - 75 - 63 -	Ξ	γ			μ
48 - 35 - 25 -	_	κλ	Fcγ	Fabγ	кλ
20 - 17 - 11 -	_				

SDS-PAGE of Rat IgG Whole Molecule Alkaline Phosphatase Conjugated (p/n ASR2276). Lane M: 3 µL Opal Prestained Marker (p/n MB-210-0500). Lane 1: Reduced Rat IgG Whole Molecule Alkaline Phosphatase Conjugated (p/n ASR2276). Lane 2: Reduced Rat IgG F(c) Fragment (p/n 012-0103). Lane 3: Reduced Rat IgG F(ab) Fragment (p/n 012-0105). Lane 4: Reduced Rat IgM Whole Molecule (p/n 012-0107). Load: 1 µg of IgG, F(c), F(ab); 1.5 µg of IgM. Predicted/Observed size: IgG at 55 and 25 kDa; F(c) at 25 kDa; F(ab) at 25 kDa; IgM at 78 and 25 kDa. Observed F(c) Fragment migrates slightly higher.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.