10320 Camino Santa Fe, Suite G San Diego, CA 92121

Tel: 858.875.1900 Fax: 858.875.1999



## Anti-Mouse IgG IgA IgM (H&L) (Biotin Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR2348

## **Product Information**

**Description** Anti-MOUSE IgG IgA IgM (H&L) (GOAT) Antibody Biotin Conjugated (Min X Bv,

Hs, Hu Serum Proteins)

Host Goat Conjugate Biotin

10-20 moles Biotin per mole of IgG **FP Value** 

**Target Species** Mouse Reactivity Mouse **Polyclonal** Clonality **Physical State** Lyophilized

**Host Isotype** IgG

**Target Isotype** IgG IgA IgM

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Immunogen** Mouse IgG IgA and IgM whole molecule

**Reconstitution Volume** 1.0 mL

**Reconstitution Buffer** Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Sodium Azide

## **Additional Information**

**Ambient Shipping Condition** 

Immunoblotting, ELISA, immunohistochemistry, immunomicroscopy as well **Application Note** 

as other antibody based assays using streptavidin or avidin conjugates

requiring lot-to-lot consistency.

This product was prepared from polyspecific antiserum by immunoaffinity Purity

chromatography using antigens coupled to agarose beads followed by cross

adsorption to remove unwanted specificities. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum, Mouse IgG, Mouse IgA and Mouse IgM. No reaction was observed against bovine, horse or human serum proteins. This reagent is suitable for the detection of all mouse isotypes and chain combinations. ELISA was used to confirm specificity at less than 1% of the target signal.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot

> contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

## **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.