

## Mouse IgG F(ab')2 Biotin

Catalog # ASR2423

## **Product Information**

**Description** MOUSE IgG F(ab')2 fragment Biotin conjugated

ConjugateBiotinPhysical StateLyophilizedHost IsotypeIgG F(ab')2

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Species of Origin** Mouse **Reconstitution Volume** 1.0 mL

**Reconstitution Buffer** Restore with deionized water (or equivalent)

## **Additional Information**

Shipping Condition	Ambient
--------------------	---------

**Purity** This product was prepared from normal serum delipidation, salt

fractionation, ion exchange chromatography followed by pepsin digestion and

extensive dialysis against the buffer stated above. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Mouse IgG, anti-Mouse IgG F(ab')2 and anti-Mouse Serum. No reaction

was observed against anti-Mouse IgG F(c) or anti-Pepsin.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot


contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

**Precautions Note** This product is for research use only and is not intended for therapeutic or

diagnostic applications.

## **Images**



SDS-PAGE of Mouse IgG F(ab')2 Fragment Biotin Conjugated (p/n ASR2423). Lane 1: 5 μL Opal Prestained Marker (p/n MB-210-0500). Lane 2: Reduced Mouse IgG Whole Molecule (p/n 010-0102). Lane 3: Reduced Mouse F(c) Fragment (p/n 010-0103). Lane 4: Reduced Mouse F(ab')2 Fragment Biotin Conjugated (p/n ASR2423). Lane 5: Mouse IgM Kappa Myeloma Protein (p/n 010-0107). Load: 1 μg per lane. Predicted/Observed size: IgG at 50 and 25 kDa; F(c) at 25 kDa; F(ab')2 at 25 kDa; IgM K at 70 and 23 kDa. Observed F(c) Fragment migrates slightly higher.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.