10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



## F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish)
Catalog # ASR2549

## **Product Information**

**Description** F(ab')2 Anti-MOUSE IgG IgA IgM (H&L) (GOAT) Antibody Peroxidase

Conjugated Min X Human Serum Proteins

**Host** Goat

**Conjugate** Peroxidase (Horseradish)

Target SpeciesMouseReactivityMouseClonalityPolyclonalPhysical StateLyophilizedHost IsotypeIgG F(ab&a

Host Isotype IgG F(ab')2
Target Isotype IgG IgA IgM

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Anti-Mouse IgG IgA and IgM (H&L) was produced by repeated immunization

with mouse IgG IgA and IgM molecule in goat.

Reconstitution Volume 500 □

**Reconstitution Buffer** 

Restore with deionized water (or equivalent)

**Stabilizer** 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Thimerosal

## **Additional Information**

Shipping Condition Ambient

**Application Note** Antibodies Anti-Mouse IgG IgA IgM peroxidase conjugated are suitable for

immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody

based enzymatic assays requiring lot-to-lot consistency.

**Purity** This product was prepared from polyspecific antiserum by immunoaffinity

chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase and anti-Goat Serum. No reaction was observed against anti-Goat IgG F(c). This reagent is suitable for the detection of all mouse subclasses, isotypes and chain combinations.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot contents

and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room

temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

**Precautions Note** 

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## **Background**

Anti-Mouse IgG IgA IgM peroxidase conjugated antibody generated in goat detect specifically mouse IgG. This secondary peroxidase conjugated antibody anti-Mouse is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.