10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish) Catalog # ASR2549

Product Information

Description F(ab')2 Anti-MOUSE IgG IgA IgM (H&L) (GOAT) Antibody Peroxidase

Conjugated Min X Human Serum Proteins

Host Goat

Conjugate Peroxidase (Horseradish)

Target Species Mouse Reactivity Mouse Polyclonal Clonality **Physical State** Lyophilized **Host Isotype**

IgG F(ab')2 IgG IgA IgM Target Isotype

Buffer 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Anti-Mouse IgG IgA and IgM (H&L) was produced by repeated immunization **Immunogen**

with mouse IgG IgA and IgM molecule in goat.

Reconstitution Volume 500 □

Reconstitution Buffer

Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Preservative 0.01% (w/v) Thimerosal

Additional Information

Shipping Condition Ambient

Antibodies Anti-Mouse IgG IgA IgM peroxidase conjugated are suitable for **Application Note**

> immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody

based enzymatic assays requiring lot-to-lot consistency.

This product was prepared from polyspecific antiserum by immunoaffinity **Purity**

> chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase and anti-Goat Serum. No reaction was observed against anti-Goat IgG F(c). This reagent is suitable for the detection of all mouse subclasses, isotypes and chain combinations.

Storage Condition Store vial at 4° C prior to restoration. For extended storage aliquot contents

> and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room

temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Background

Anti-Mouse IgG IgA IgM peroxidase conjugated antibody generated in goat detect specifically mouse IgG. This secondary peroxidase conjugated antibody anti-Mouse is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.