10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



## F(ab')2 Anti-Human IgG F(c) (Alkaline Phosphatase Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Alkaline Phosphatase (Calf Intestine) Catalog # ASR2863

## **Product Information**

**Description** F(ab')2 Anti-HUMAN IgG F(c) (GOAT) Antibody Alkaline Phosphatase

Conjugated Min X Bv Hs Ms & Rt Serum Proteins

**Host** Goat

**Conjugate** Alkaline Phosphatase (Calf Intestine)

Target Species Human
Clonality Polyclonal

Physical StateLiquid (sterile filtered)Host IsotypeIgG F(ab')2

**Target Isotype** IgG F(c)

**Buffer** 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride,

0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0

**Immunogen** Human IgG F(c) fragment

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Sodium Azide

## **Additional Information**

**Shipping Condition** Wet Ice

**Application Note** This product has been assayed against 1.0 g of Human IgG in a standard

capture ELISA using pNPP p-nitrophenyl phosphate code # NPP-10 as a substrate for 30 minutes at room temperature. A working dilution of 1:4,000 to 1:20,000 of the reconstitution concentration is suggested for this product.

**Purity** This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin

digestion and chromatographic separation. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase, anti-Goat Serum, Human IgG, Human IgG F(c) and Human Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c), Human IgG F(ab')2 or Bovine, Horse, Mouse and Rat Serum Proteins.

**Storage Condition** Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at

4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic

activity.

**Precautions Note**This product is for research use only and is not intended for therapeutic or

diagnostic applications.

## **Background**

Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring lot-to-lot consistency.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.