10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



F(ab')2 Anti-Mouse IgG (H&L) (Biotin Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR2870

Product Information

Description F(ab')2 Anti-MOUSE IgG (H&L) (GOAT) Antibody Biotin Conjugated Min X

Bv Hs Hu Rb Rt & Sh Serum Proteins

Host Goat
Conjugate Biotin
Target Species Mouse
Clonality Polyclonal
Physical State Lyophilized
Host Isotype IgG F(ab')2

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Mouse IgG whole molecule was produced by repeated immunization with

Mouse IgG whole molecule in goat.

Reconstitution Volume

Reconstitution Buffer Restore with deionized water (or equivalent)

500 □L

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Additional Information

Shipping Condition Ambient

Application Note F(ab')2 Anti-Mouse IgG (H&L) (GOAT) Antibody is suitable for

immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels,

absence of F(c) mediated binding, lot-to-lot consistency, high titer and

specificity.

Purity F(ab')2 Anti-Mouse IgG (H&L) (GOAT) Antibody was prepared from

monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove

any unwanted reactivities, pepsin digestion and chromatographic

separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum, Mouse IgG and Mouse Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c) or Bovine,

Horse, Human, Rabbit, Rat and Sheep Serum Proteins.

Storage Condition Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Background

F(ab')2 anti-Mouse IgG (H&L) antibody generated in goat detects specifically Mouse IgG whole molecule. This secondary antibody anti-Mouse is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays. F(ab')2 Anti-Mouse IgG (H&L) (GOAT) Antibody is ideal for investigators in Immunology, Cancer, and Microbiology research.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.