10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



## Fab Anti-Rat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish) Catalog # ASR2887

## **Product Information**

**Description** F(ab) Anti-RAT IgG (H&L) (GOAT) Antibody Peroxidase Conjugated

**Host** Goat

**Conjugate** Peroxidase (Horseradish)

Target SpeciesRatReactivityRatClonalityPolyclonalPhysical StateLyophilizedHost IsotypeIgG F(ab)Target IsotypeIgG (H&L)

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Anti-Rat IgG (H&L) was produced by repeated immunization with rat IgG

whole molecule in goat.

**Reconstitution Volume** 1.0 mL

**Reconstitution Buffer** Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

## **Additional Information**

Shipping Condition Ambient

**Application Note** Anti-Rat IgG HRP antibody is uitable for immunoblotting (western or dot

blot), ELISA, immunoperoxidase electron microscopy and

immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring extremely low background levels, absence of F(c) mediated

binding, lot-to-lot consistency, high titer and specificity.

**Purity** Anti-Rat IgG (H&L) peroxidase conjugated antibody was prepared from

monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove

any unwanted reactivities, papain digestion and chromatographic

separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase and anti-Goat Serum. No reaction was observed

against anti-Papain or anti-Goat IgG F(c).

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

**Precautions Note** 

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## **Background**

F(ab) Anti-Rat IgG HRP conjugated secondary antibody generated in goat detects specifically rat IgG. This secondary peroxidase conjugated antibody anti-Rat is ideal for investigators who routinely perform titration assays, western blot, immunoprecipitation and more generally immunoassays.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.