10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



F(ab')2 Anti-Rabbit IgG F(ab')2 (Alkaline Phosphatase Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Alkaline Phosphatase (Calf Intestine) Catalog # ASR2998

Product Information

Description F(ab')2 Anti-RABBIT IgG F(ab')2 (GOAT) Antibody Alkaline

Phosphatase Conjugated Min X Bv Hs Hu Ms Rt & Sh Serum Proteins

Host Goat

Conjugate Alkaline Phosphatase (Calf Intestine)

Target Species Rabbit
Clonality Polyclonal

Physical State Liquid (sterile filtered)
Host Isotype IgG F(ab')2
Target Isotype IgG F(ab')2

Buffer 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride,

0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0

Immunogen Rabbit IgG F(ab')2 fragment

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Additional Information

Shipping Condition Wet Ice

Application Note This product has been assayed against 1.0 g of Rabbit IgG in a standard

capture ELISA using pNPP p-nitrophenyl phosphate code # NPP-10 as a substrate for 30 minutes at room temperature. A working dilution of 1:4,000 to 1:20,000 of the reconstitution concentration is suggested for this product.

Purity This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis

resulted in a single precipitin arc against anti-Alkaline Phosphatase, anti-Goat Serum, Rabbit IgG, Rabbit IgG F(ab')2 and Rabbit Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c), Rabbit IgG F(c) or Bovine,

Horse, Human, Mouse, Rat and Sheep Serum Proteins.

Storage Condition Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at

 4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic

activity.

Precautions NoteThis product is for research use only and is not intended for therapeutic or

diagnostic applications.

Background

Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring lot-to-lot consistency.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.