10320 Camino Santa Fe, Suite G San Diego, CA 92121

Tel: 858.875.1900 Fax: 858.875.1999



## Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Pre-Adsorbed Secondary Antibody

Rabbit Polyclonal, Biotin Catalog # ASR3113

## **Product Information**

**Description** Anti-SHEEP IgG F(ab')2 (RABBIT) Antibody Biotin Conjugated (Min X

**Human Serum Proteins**)

HostRabbitConjugateBiotinTarget SpeciesSheepClonalityPolyclonalPhysical StateLyophilized

Host Isotype IgG

Target Isotype IgG F(ab')2

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Sheep IgG F(ab')2 fragment

Reconstitution Volume 500 □

**Reconstitution Buffer** Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

**Preservative** 0.01% (w/v) Sodium Azide

## **Additional Information**

Shipping Condition Ambient

**Application Note** This product has been assayed against 1.0 ug of Sheep IgG in a standard

capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:400,000 is suggested for this product for ELISA. This product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA

using Peroxidase Conjugated Streptavidin #S000-03 and ABTS

(2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of

1:20,000 to 1:400,000 is suggested for this product for ELISA.

**Purity** This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Sheep IgG coupled to agarose beads followed by solid

phase adsorption(s) to remove any unwanted reactivities. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Sheep IgG and Sheep Serum. No reaction was observed

against Human Serum Proteins.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room

temperature. This product is stable for several weeks at  $4^{\circ}$  C as an undiluted liquid. Dilute only prior to immediate use.

## **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.