

## F(ab')2 Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR3142

## **Product Information**

| Description<br>Host   | F(ab')2 Anti-MOUSE IgM (mu chain) (GOAT) Antibody Biotin Conjugated<br>Goat |
|-----------------------|---|
| Conjugate             | Biotin  |
|                       |   |
| FP Value              | 10-20 moles Biotin per mole of IgG F(ab')2                                  |
| Target Species        | Mouse   |
| Clonality             | Polyclonal  |
| Physical State        | Lyophilized   |
| Host Isotype          | IgG F(ab')2   |
| Target Isotype        | IgM 🛛 chain   |
| Buffer                | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2                  |
| Immunogen             | Mouse IgM mu heavy chain  |
| Reconstitution Volume | 500 🗅   |
| Reconstitution Buffer | Restore with deionized water (or equivalent)                                |
| Stabilizer            | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free      |
| Preservative          | 0.01% (w/v) Sodium Azide  |

## **Additional Information**

| Shipping Condition | Ambient   |
|--------------------|---|
| Application Note   | This product is designed for immunofluorescence microscopy, fluorescence<br>based plate assays (FLISA) and fluorescent western blotting. This product is<br>also suitable for multiplex analysis, including multicolor imaging, utilizing<br>various commercial platforms.  |
| Purity             | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum, Mouse IgM and Mouse Serum. No reaction was observed against anti-Pepsin or anti-Goat IgG F(c). |
| Storage Condition  | Store vial at 4° C prior to restoration. For extended storage aliquot<br>contents and freeze at -20° C or below. Avoid cycles of freezing and<br>thawing. Centrifuge product if not completely clear after standing at room<br>temperature. This product is stable for several weeks at 4° C as an undiluted<br>liquid. Dilute only prior to immediate use.   |
| Precautions Note   | This product is for research use only and is not intended for therapeutic or diagnostic applications.   |

## Background

Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring lot-to-lot consistency.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.