10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

# Anti-Rat IgG F(ab')2 Secondary Antibody

Rabbit Polyclonal, Unconjugated
Catalog # ASR3334

## Product Information


| | |
|---|---|
| **Description** | Anti-RAT IgG F(ab')2 (RABBIT) Antibody |
| **Host** | Rabbit |
| **Conjugate** | Unconjugated |
| **Target Species** | Rat |
| **Clonality** | Polyclonal |
| **Application** | WB |
| **Physical State** | Liquid (sterile filtered) |
| **Host Isotype** | IgG |
| **Target Isotype** | IgG F(ab')2 |
| **Buffer** | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| **Immunogen** | Rat IgG F(ab')2 fragment |
| **Stabilizer** | None |
| **Preservative** | 0.01% (w/v) Sodium Azide |

## Additional Information

| | |
|---|---|
| **Shipping Condition** | Wet Ice |
| **Purity** | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Rat IgG, Rat IgG F(ab')2 and Rat Serum. No reaction was observed against Rat IgG F(c). |
| **Storage Condition** | Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. |
| **Precautions Note** | This product is for research use only and is not intended for therapeutic or diagnostic applications. |

## Images

Western Blot of Anti-Rat IgG F(ab')2 (RABBIT) Antibody (p/n ASR3334). Lane M: 3 µl Molecular Ladder. Lane 1: Rat IgG whole molecule (p/n 012-0102). Lane 2: Rat IgG F(c) Fragment (p/n 012-0103). Lane 3: Rat IgG F(ab) Fragment (p/n 012-0105). Lane 4: Rat IgM Whole Molecule (p/n 012-0107). All samples were reduced. Load: 50 ng per




lane. Block: MB-070 for 30 min at RT. Primary Antibody: Anti-Rat IgG F(ab')2 (RABBIT) Antibody (p/n ASR3334) 1:1,000 for 60 min at RT. Secondary Antibody: Anti-Rabbit IgG (GOAT) Peroxidase Conjugated Antibody (p/n 611-103-122) 1:40,000 in MB-070 for 30 min at RT. Predicted/Obsevered Size: 25 and 55 kDa for Rat IgG, 25 kDa for F(c) and F(ab), 78 and 25 kDa for IgM. Rat F(c) migrates slightly higher.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.