

F(ab')2 Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody

Rabbit Polyclonal, Peroxidase (Horseradish) Catalog # ASR3447

Product Information

Description F(ab')2 Anti-GOAT IgG F(ab')2 (RABBIT) Antibody Peroxidase

Conjugated

Host Rabbit

Conjugate Peroxidase (Horseradish)

Target SpeciesGoatClonalityPolyclonalPhysical StateLyophilizedHost IsotypeIgG F(ab&a

Host IsotypeIgG F(ab')2Target IsotypeIgG F(ab')2

Buffer 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Goat IgG F(ab')2 fragment

Reconstitution Volume 2.0 mL

Reconstitution Buffer Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Additional Information

Shipping Condition Ambient

Purity This product is a F(ab')2 fragment of an IgG fraction antibody purified from

monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pepsin digestion followed by extensive dialysis against the buffer stated above. Assay by immunoelectro-phoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Goat IgG F(ab')2 and Goat Serum. No

reaction was observed against anti-Rabbit IgG F(c), Goat IgG F(c) or

anti-Pepsin.

Storage Condition Store vial at 4° C prior to restoration. For extended storage aliquot

contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

Precautions NoteThis product is for research use only and is not intended for therapeutic or

diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.