

ANXA5 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant ANXA5. Catalog # AT1151a

Product Information

Application Primary Accession	WB, IHC, IF, IP, E <u>P08758</u>
Other Accession	BC001429
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG1 kappa
Clone Names	1F4-1A5
Calculated MW	35937

Additional Information

Gene ID	308
Other Names	Annexin A5, Anchorin CII, Annexin V, Annexin-5, Calphobindin I, CBP-I, Endonexin II, Lipocortin V, Placental anticoagulant protein 4, PP4, Placental anticoagulant protein I, PAP-I, Thromboplastin inhibitor, Vascular anticoagulant-alpha, VAC-alpha, ANXA5, ANX5, ENX2, PP4
Target/Specificity	ANXA5 (AAH01429, 1 a.a. ~ 320 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 IP~~N/A E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	ANXA5 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

Background

The protein encoded by this gene belongs to the annexin family of calcium-dependent phospholipid binding proteins some of which have been implicated in membrane-related events along exocytotic and endocytotic pathways. Annexin 5 is a phospholipase A2 and protein kinase C inhibitory protein with calcium channel activity and a potential role in cellular signal transduction, inflammation, growth and differentiation. Annexin 5 has also been described as placental anticoagulant protein I, vascular anticoagulant-alpha, endonexin II, lipocortin V, placental protein 4 and anchorin CII. The gene spans 29 kb containing 13 exons, and encodes a single transcript of approximately 1.6 kb and a protein product with a molecular weight of about 35 kDa.

References

1.Transcellular distribution heterogeneity of Annexin A5 represents a protective response to lupus-related thrombophilia: A pilot Proteomics-based study.Zhou D, Luo N, Wu Q, You Y, Zhai Z, Mou Z, Wu Y, Hao F.Biochem Biophys Res Commun. 2012 Apr 6;420(2):357-63. Epub 2012 Mar 8.2.Proteomics and bioinformatics analysis of lovastatin-induced differentiation in ARO cells.Shui HA, Hsia CW, Chen HM, Chang TC, Wang CY.J Proteomics. 2011 Nov 7.3.The Differential Expression of Aqueous Soluble Proteins in Breast Normal and Cancerous Tissues in Relation to Stage and Grade of Patients.Liang S, Singh M, Gam LH.Journal of Biomedicine and Biotechnology doi:10.1155/ 2010/516469





Immunoperoxidase of monoclonal antibody to ANXA5 on formalin-fixed paraffin-embedded human colon. [antibody concentration 3 ug/ml]





Immunofluorescence of monoclonal antibody to ANXA5 on HeLa cell. [antibody concentration 10 ug/ml]



Immunoprecipitation of ANXA5 transfected lysate using anti-ANXA5 monoclonal antibody and Protein A Magnetic Bead (<u>U0007</u>), and immunoblotted with ANXA5 MaxPab rabbit polyclonal antibody.



Detection limit for recombinant GST tagged ANXA5 is approximately 0.03ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.