

ARMCX3 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant ARM CX3.
Catalog # AT1198a

Product Information

Application	WB, E
Primary Accession	Q9UH62
Other Accession	NM_016607
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	2G3
Calculated MW	42501

Additional Information

Gene ID	51566
Other Names	Armadillo repeat-containing X-linked protein 3, ARM protein lost in epithelial cancers on chromosome X 3, Protein ALEX3, ARM CX3, ALEX3
Target/Specificity	ARM CX3 (NP_057691, 278 a.a. ~ 379 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	ARM CX3 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

Background


This gene encodes a member of the ALEX family of proteins which may play a role in tumor suppression. The encoded protein contains a potential N-terminal transmembrane domain and a single Armadillo (arm) repeat. Other proteins containing the arm repeat are involved in development, maintenance of tissue integrity, and tumorigenesis. This gene is closely localized with other family members on the X chromosome. Three transcript variants encoding the same protein have been identified for this gene.

References


The armadillo repeat-containing protein, ARM CX3, physically and functionally interacts with the

developmental regulatory factor Sox10. Mou Z, et al. J Biol Chem, 2009 May 15. PMID 19304657. Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348. Systematic analysis of the protein interaction network for the human transcription machinery reveals the identity of the 7SK capping enzyme. Jeronimo C, et al. Mol Cell, 2007 Jul 20. PMID 17643375. Global, in vivo, and site-specific phosphorylation dynamics in signaling networks. Olsen JV, et al. Cell, 2006 Nov 3. PMID 17081983. A human protein-protein interaction network: a resource for annotating the proteome. Stelzl U, et al. Cell, 2005 Sep 23. PMID 16169070.


Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.96 KDa) .



ARM CX3 monoclonal antibody (M01), clone 2G3. Western Blot analysis of ARM CX3 expression in U-2 OS.





ARM CX3 monoclonal antibody (M01), clone 2G3. Western Blot analysis of ARM CX3 expression in HeLa S3 NE.

Western Blot analysis of ARM CX3 expression in transfected 293T cell line by ARM CX3 monoclonal antibody (M01), clone 2G3.

Lane 1: ARM CX3 transfected lysate (Predicted MW: 42.5 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged ARM CX3 is approximately 0.1 ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.