

# ATF3 Antibody (monoclonal) (M04)

Mouse monoclonal antibody raised against a full length recombinant ATF3. Catalog # AT1223a

### **Product Information**

**Application** WB, E **Primary Accession** P18847 **Other Accession** BC006322 Reactivity Human Host Mouse Clonality monoclonal Isotype IgG3 Kappa **Clone Names** 8G5 **Calculated MW** 20576

### **Additional Information**

Gene ID 467

**Other Names** Cyclic AMP-dependent transcription factor ATF-3, cAMP-dependent

transcription factor ATF-3, Activating transcription factor 3, ATF3

Target/Specificity ATF3 (AAH06322, 1 a.a. ~ 181 a.a) full-length recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** ATF3 Antibody (monoclonal) (M04) is for research use only and not for use in

diagnostic or therapeutic procedures.


## Background

Activating transcription factor 3 is a member of the mammalian activation transcription factor/cAMP responsive element-binding (CREB) protein family of transcription factors. Multiple transcript variants encoding two different isoforms have been found for this gene. The longer isoform represses rather than activates transcription from promoters with ATF binding elements. The shorter isoform (deltaZip2) lacks the leucine zipper protein-dimerization motif and does not bind to DNA, and it stimulates transcription presumably by sequestering inhibitory co-factors away from the promoter. It is possible that alternative splicing of the ATF3 gene may be physiologically important in the regulation of target genes.


### References

1.Transcriptional regulators of the ?GNp63: Their role in limbal epithelial cell proliferation. Hsueh YJ, Kuo PC, Chen JK.J Cell Physiol. 2012 Jul 17. doi: 10.1002/jcp.24160.


### **Images**



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (45.65 KDa) .




ATF3 monoclonal antibody (M04), clone 8G5 Western Blot analysis of ATF3 expression in Hela S3 NE ( (Cat # AT1223a )



Western Blot analysis of ATF3 expression in transfected 293T cell line by ATF3 monoclonal antibody (M04), clone 8G5.

Lane 1: ATF3 transfected lysate(20.6 KDa). Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged ATF3 is approximately 1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.