

ATP6AP1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant ATP6AP1. Catalog # AT1239a

Product Information

Application WB, E **Primary Accession** Q15904 **Other Accession** NM 001183 Reactivity Human, Rat Host mouse Clonality monoclonal Isotype IgG1 Kappa **Clone Names** 3A2 **Calculated MW** 52026

Additional Information

Gene ID 537

Other Names V-type proton ATPase subunit S1, V-ATPase subunit S1, Protein XAP-3,

V-ATPase Ac45 subunit, V-ATPase S1 accessory protein, Vacuolar proton pump

subunit S1, ATP6AP1, ATP6IP1, ATP6S1, VATPS1, XAP3

Target/Specificity ATP6AP1 (NP_001174, 51 a.a. ~ 150 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions ATP6AP1 Antibody (monoclonal) (M01) is for research use only and not for

use in diagnostic or therapeutic procedures.


Background

This gene encodes a component of a multisubunit enzyme (1 mDa MW) that mediates acidification of eukaryotic intracellular organelles. Vacuolar ATPase (V-ATPase) is comprised of a cytosolic V1 (site of the ATP catalytic site) and a transmembrane V0 domain. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, and receptor-mediated endocytosis. The encoded protein of this gene is approximately 45 kD and may assist in the V-ATPase-mediated acidification of neuroendocrine secretory granules.


References

1.Vacuolar H+-ATPase subunit Voa1 and Voa2 cooperatively regulate secretory vesicle acidification, transmitter uptake and storage.Saw NM, Kang SY, Parsaud L, Han GA, Jiang T, Grzegorczyk K, Surkont M, Sun-Wada GH, Wada Y, Li L, Sugita S.Mol Biol Cell. 2011 Jul 27. [Epub ahead of print]

Images



Detection limit for recombinant GST tagged ATP6AP1 is



Recombinant Protein Concentration (ng/ml)

0.1 ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.