

# CCNK Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant CCNK. Catalog # AT1423a

#### **Product Information**

**Application** WB, E **Primary Accession** 075909 Other Accession BC015935 Reactivity Human Host mouse Clonality monoclonal Isotype IgG1 kappa **Clone Names** 3B7-1B9 Calculated MW 64240

### **Additional Information**

**Gene ID** 8812

Other Names Cyclin-K, CCNK, CPR4

Target/Specificity CCNK (AAH15935, 1 a.a. ~ 354 a.a) full-length recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** CCNK Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.


## **Background**

The protein encoded by this gene is a member of the transcription cyclin family. These cyclins may regulate transcription through their association with and activation of cyclin-dependent kinases (CDK) that phosphorylate the C-terminal domain (CTD) of the large subunit of RNA polymerase II. This gene product may play a dual role in regulating CDK and RNA polymerase II activities.


### References

1.The human HECA interacts with cyclins and CDKs to antagonize Wnt-mediated proliferation and chemoresistance of head and neck cancer cells.Dowejko A, Bauer R, Bauer K, Muller-Richter UD, Reichert TE.Exp Cell Res. 2011 Nov 10.


### **Images**



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (64.68 KDa) .




CCNK monoclonal antibody (M01), clone 3B7-1B9. Western Blot analysis of CCNK expression in PRC/PRF/5.




Western Blot analysis of CCNK expression in transfected 293T cell line by CCNK monoclonal antibody (M01), clone 3B7-1B9.

Lane 1: CCNK transfected lysate(41 KDa). Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged CCNK is approximately 0.03ng/ml as a capture antibody.

Western blot analysis of CCNK over-expressed 293 cell line, cotransfected with CCNK Validated Chimera RNAi ( (Cat # AT1423a )



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.