

# CDC42BPB Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a partial recombinant CDC42BPB. Catalog # AT1465a

### **Product Information**

Application WB, IHC, IF, E
Primary Accession Q9Y5S2
Other Accession AF128625
Reactivity Human, Rat
mouse
Clonality monoclonal
Isotype IgG2a Kappa

Clone Names 2F4 Calculated MW 194315

## **Additional Information**

**Gene ID** 9578

Other Names Serine/threonine-protein kinase MRCK beta, CDC42-binding protein kinase

beta, CDC42BP-beta, DMPK-like beta, Myotonic dystrophy kinase-related CDC42-binding kinase beta, MRCK beta, Myotonic dystrophy protein kinase-like beta, CDC42BPB {ECO:0000312|EMBL:AAD375061}

**Target/Specificity** CDC42BPB (AAD37506, 1580 a.a. ~ 1679 a.a) partial recombinant protein with

GST tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** CDC42BPB Antibody (monoclonal) (M03) is for research use only and not for

use in diagnostic or therapeutic procedures.


## **Background**


This gene encodes a member of the serine/threonine protein kinase family. The encoded protein contains a Cdc42/Rac-binding p21 binding domain resembling that of PAK kinase. The kinase domain of this protein is most closely related to that of myotonic dystrophy kinase-related ROK. Studies of the similar gene in rat suggested that this kinase may act as a downstream effector of Cdc42 in cytoskeletal reorganization.

### References


Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. Overexpression and unique rearrangement of VH2 transcripts in immunoglobulin variable heavy chain genes in ankylosing spondylitis patients. Kim YJ, et al. Exp Mol Med, 2010 May 31. PMID 20177145. Characterization of the interaction of phorbol esters with the C1 domain of MRCK (myotonic dystrophy kinase-related Cdc42 binding kinase) alpha/beta. Choi SH, et al. J Biol Chem, 2008 Apr 18. PMID 18263588. Large-scale mapping of human protein-protein interactions by mass spectrometry. Ewing RM, et al. Mol Syst Biol, 2007. PMID 17353931. Global, in vivo, and site-specific phosphorylation dynamics in signaling networks. Olsen JV, et al. Cell, 2006 Nov 3. PMID 17081983.

## **Images**






Immunoperoxidase of monoclonal antibody to CDC42BPB on formalin-fixed paraffin-embedded human small Intestine. [antibody concentration 3 ug/ml]



Immunofluorescence of monoclonal antibody to CDC42BPB on A-431 cell. [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged CDC42BPB is approximately 0.3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.