

CDK5RAP3 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant CDK5RAP3. Catalog # AT1477a

Product Information

Application WB, IHC, IF, E **Primary Accession** Q96JB5 **Other Accession** BC009957 Reactivity Human Host mouse Clonality monoclonal Isotype IgG1 Kappa **Clone Names** 1G4 Calculated MW 56921

Additional Information

Gene ID 80279

Other Names CDK5 regulatory subunit-associated protein 3, CDK5 activator-binding protein

C53, Protein HSF-27, CDK5RAP3, IC53

Target/Specificity CDK5RAP3 (AAH09957, 1 a.a. ~ 506 a.a) full-length recombinant protein with

GST tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions CDK5RAP3 Antibody (monoclonal) (M01) is for research use only and not for

use in diagnostic or therapeutic procedures.

Background


Neuronal CDC2-like kinase, which is involved in the regulation of neuronal differentiation, is composed of a catalytic subunit, CDK5, and an activating subunit, p25NCK5A. The protein encoded by this gene binds to p25NCK5A and therefore may be involved in neuronal differentiation. The encoded protein, which may be a substrate of neuronal CDC2-like kinase, has also been found in vascular endothelial cells, where it mediates cell proliferation.

References


1. Suppression of the novel ER protein Maxer by mutant ataxin-1 in Bergman glia contributes to

non-cell-autonomous toxicity.Shiwaku H, Yoshimura N, Tamura T, Sone M, Ogishima S, Watase K, Tagawa K, Okazawa H.EMBO J. 2010 Jun 8. [Epub ahead of print]


Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (81.51 KDa) .



CDK5RAP3 monoclonal antibody (M01), clone 1G4 Western Blot analysis of CDK5RAP3 expression in A-431 ((Cat # AT1477a)




Immunoperoxidase of monoclonal antibody to CDK5RAP3 on formalin-fixed paraffin-embedded human colon. [antibody concentration 3 ug/ml]



Immunofluorescence of monoclonal antibody to CDK5RAP3 on HeLa cell. [antibody concentration 10 ug/ml]

Detection limit for recombinant GST tagged CDK5RAP3 is approximately 0.03ng/ml as a capture antibody.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.