

# CREB5 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant CREB5. Catalog # AT1620a

#### **Product Information**

**Application** WB, IHC, IF, E **Primary Accession** Q02930

Other AccessionNM\_001011666ReactivityHuman, Mouse

HostmouseClonalitymonoclonalIsotypeIgG2a Kappa

Clone Names 8A5 Calculated MW 56918

### **Additional Information**

**Gene ID** 9586

Other Names Cyclic AMP-responsive element-binding protein 5, CREB-5, cAMP-responsive

element-binding protein 5, CRE-BPa, CREB5, CREBPA

Target/Specificity CREB5 (NP\_001011666, 1 a.a. ~ 99 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** CREB5 Antibody (monoclonal) (M02) is for research use only and not for use

in diagnostic or therapeutic procedures.

## **Background**


The product of this gene belongs to the CRE (cAMP response element)-binding protein family. Members of this family contain zinc-finger and bZIP DNA-binding domains. The encoded protein specifically binds to CRE as a homodimer or a heterodimer with c-Jun or CRE-BP1, and functions as a CRE-dependent trans-activator. Alternatively spliced transcript variants encoding different isoforms have been identified.

### References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Inherited genetic variant predisposes to

aggressive but not indolent prostate cancer. Xu J, et al. Proc Natl Acad Sci U S A, 2010 Feb 2. PMID 20080650.Coeliac disease-associated risk variants in TNFAIP3 and REL implicate altered NF-kappaB signalling. Trynka G, et al. Gut, 2009 Aug. PMID 19240061.Molecular genetics of adult ADHD: converging evidence from genome-wide association and extended pedigree linkage studies. Lesch KP, et al. J Neural Transm, 2008 Nov. PMID 18839057.Molecular genetics of successful smoking cessation: convergent genome-wide association study results. Uhl GR, et al. Arch Gen Psychiatry, 2008 Jun. PMID 18519826.


### **Images**




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.63 KDa) .

CREB5 monoclonal antibody (M02), clone 8A5 Western Blot analysis of CREB5 expression in Hela S3 NE ( (Cat # AT1620a )


CREB5 monoclonal antibody (M02), clone 8A5. Western Blot analysis of CREB5 expression in Raw 264.7((Cat # AT1620a)



Immunoperoxidase of monoclonal antibody to CREB5 on formalin-fixed paraffin-embedded human adrenal gland. [antibody concentration 1 ug/ml]



Immunofluorescence of monoclonal antibody to CREB5 on HeLa cell. [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged CREB5 is approximately 0.1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.