

# CROT Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant CROT. Catalog # AT1630a

## **Product Information**

| Application       | WB                |
|-------------------|-------------------|
| Primary Accession | <u>Q9UKG9</u>     |
| Other Accession   | <u>NM_021151</u>  |
| Reactivity        | Human, Mouse, Rat |
| Host              | mouse             |
| Clonality         | monoclonal        |
| Isotype           | IgG1 Kappa        |
| Clone Names       | 1A6               |
| Calculated MW     | 70178             |

## **Additional Information**

| Gene ID            | 54677  |
|--------------------|--|
| Other Names        | Peroxisomal carnitine O-octanoyltransferase, COT, CROT, COT  |
| Target/Specificity | CROT (NP_066974, 2 a.a. ~ 99 a.a) partial recombinant protein with GST tag.<br>MW of the GST tag alone is 26 KDa.  |
| Dilution           | WB~~1:500~1000   |
| Format             | Clear, colorless solution in phosphate buffered saline, pH 7.2 .   |
| Storage            | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.   |
| Precautions        | CROT Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures. |


### Background


This gene encodes a member of the carnitine/choline acetyltransferase family. The encoded protein converts 4,8-dimethylnonanoyl-CoA to its corresponding carnitine ester. This transesterification occurs in the peroxisome and is necessary for transport of medium- and long- chain acyl-CoA molecules out of the peroxisome to the cytosol and mitochondria. The protein thus plays a role in lipid metabolism and fatty acid beta-oxidation. Alternatively spliced transcript variants have been described.

### References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.In vitro selection of adenine-dependent

ribozyme against Tpl2/Cot oncogene. Li YL, et al. FEBS J, 2009 Jan. PMID 19054068.Diversification of transcriptional modulation: large-scale identification and characterization of putative alternative promoters of human genes. Kimura K, et al. Genome Res, 2006 Jan. PMID 16344560.The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334.Human chromosome 7: DNA sequence and biology. Scherer SW, et al. Science, 2003 May 2. PMID 12690205.





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.