10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

DCAKD Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant DCAKD.
Catalog # AT1713a

Product Information

Application	WB, IHC, IF
Primary Accession	Q8WVC6
Other Accession	NM_024819
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG1 Kappa
Clone Names	3E5
Calculated MW	26550

Additional Information


Gene ID	79877
Other Names	Dephospho-CoA kinase domain-containing protein, DCAKD
Target/Specificity	DCAKD (NP_079095, 113 a.a. ~ 200 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	DCAKD Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.


Images

Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (35.42 KDa) .






DCAKD monoclonal antibody (M02), clone 3E4 Western Blot analysis of DCAKD expression in MCF-7 ((Cat # AT1713a)



Immunoperoxidase of monoclonal antibody to DCAKD on formalin-fixed paraffin-embedded human tonsil. [antibody concentration 3 ug/ml]



Immunofluorescence of monoclonal antibody to DCAKD on MCF-7 cell . [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.