

# DPF2 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant DPF2. Catalog # AT1811a

#### **Product Information**

Application WB, IHC, IF
Primary Accession Q92785
Other Accession BC014889
Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2a kappa

Clone Names 2F6 Calculated MW 44155

### **Additional Information**

**Gene ID** 5977

Other Names Zinc finger protein ubi-d4, Apoptosis response zinc finger protein,

BRG1-associated factor 45D, BAF45D, D4, zinc and double PHD fingers family

2, Protein requiem, DPF2, BAF45D, REQ, UBID4

**Target/Specificity** DPF2 (AAH14889, 56 a.a. ~ 155 a.a) partial recombinant protein with GST tag.

MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** DPF2 Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.


## **Background**

The protein encoded by this gene is a member of the d4 domain family, characterized by a zinc finger-like structural motif. This protein functions as a transcription factor which is necessary for the apoptotic response following deprivation of survival factors. It likely serves a regulatory role in rapid hematopoietic cell growth and turnover. This gene is considered a candidate gene for multiple endocrine neoplasia type I, an inherited cancer syndrome involving multiple parathyroid, enteropancreatic, and pituitary tumors.


### References

1.Transient and etiology-related transcription regulation in cirrhosis prior to hepatocellular carcinoma occurrence.Caillot F, Derambure C, Bioulac-Sage P, Francois A, Scotte M, Goria O, Hiron M, Daveau M, Salier JP.World J Gastroenterol. 2009 Jan 21;15(3):300-9.


### **Images**



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.63 KDa) .




DPF2 monoclonal antibody (M01), clone 2F6 Western Blot analysis of DPF2 expression in LNCaP ( (Cat # AT1811a )




Western Blot analysis of DPF2 expression in transfected 293T cell line by DPF2 monoclonal antibody (M01), clone 2F6.

Lane 1: DPF2 transfected lysate(44 KDa). Lane 2: Non-transfected lysate.



Immunoperoxidase of monoclonal antibody to DPF2 on formalin-fixed paraffin-embedded human ovary, clear cell carcinoma. [antibody concentration 6 ug/ml]

Immunofluorescence of monoclonal antibody to DPF2 on HeLa cell. [antibody concentration 10 ug/ml]



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.