

## E4F1 Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a partial recombinant E4F1.

Catalog # AT1840a

### Product Information

---

Application	WB, IF, E
Primary Accession	<a href="#">Q66K89</a>
Other Accession	<a href="#">NM_004424</a>
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	4B10
Calculated MW	83496

### Additional Information

---

Gene ID	1877
Other Names	Transcription factor E4F1, 632-, E4F transcription factor 1, Putative E3 ubiquitin-protein ligase E4F1, Transcription factor E4F, p120E4F, p50E4F, E4F1, E4F
Target/Specificity	E4F1 (NP_004415.2, 685 a.a. ~ 784 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IF~~1:50~200 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	E4F1 Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.

### Background

---


The zinc finger protein encoded by this gene is one of several cellular transcription factors whose DNA-binding activities are regulated through the action of adenovirus E1A. A 50-kDa amino-terminal product is generated from the full-length protein through proteolytic cleavage. The protein is differentially regulated by E1A-induced phosphorylation. The full-length gene product represses transcription from the E4 promoter in the absence of E1A, while the 50-kDa form acts as a transcriptional activator in its presence.

### References


---

The role of LANP and ataxin 1 in E4F-mediated transcriptional repression. Cvetanovic M, et al. EMBO Rep, 2007 Jul. PMID 17557114. E4F1 is an atypical ubiquitin ligase that modulates p53 effector functions independently of degradation. Le Cam L, et al. Cell, 2006 Nov 17. PMID 17110336. The LIM-only protein FHL2 is a negative regulator of E4F1. Paul C, et al. Oncogene, 2006 Sep 7. PMID 16652157. Towards a proteome-scale map of the human protein-protein interaction network. Rual JF, et al. Nature, 2005 Oct 20. PMID 16189514. E4F1, a novel estrogen-responsive gene in possible atheroprotection, revealed by microarray analysis. Nakamura Y, et al. Am J Pathol, 2004 Dec. PMID 15579445.

## Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .




Western Blot analysis of E4F1 expression in transfected 293T cell line by E4F1 monoclonal antibody (M03), clone 4B10.

Lane 1: E4F1 transfected lysate (83.5 KDa).  
Lane 2: Non-transfected lysate.



Immunofluorescence of monoclonal antibody to E4F1 on HeLa cell . [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged E4F1 is 0.1 ng/ml as a capture antibody.