

# FAF1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant FAF1. Catalog # AT1991a

#### **Product Information**

**Application** WB, IF, E **Primary Accession** Q9UNN5 Other Accession NM 007051 Reactivity Human Host mouse Clonality monoclonal Isotype IgG1 Kappa **Clone Names** 1A10 Calculated MW 73954

### **Additional Information**

**Gene ID** 11124

Other Names FAS-associated factor 1, hFAF1, UBX domain-containing protein 12, UBX

domain-containing protein 3A, FAF1, UBXD12, UBXN3A

**Target/Specificity** FAF1 (NP\_008982, 551 a.a. ~ 650 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IF~~1:50~200 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** FAF1 Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.

## **Background**


Interaction of Fas ligand (TNFSF6) with the FAS antigen (TNFRSF6) mediates programmed cell death, also called apoptosis, in a number of organ systems. The protein encoded by this gene binds to FAS antigen and can initiate apoptosis or enhance apoptosis initiated through FAS antigen. Initiation of apoptosis by the protein encoded by this gene requires a ubiquitin-like domain but not the FAS-binding domain.

### References


Variation at the NFATC2 Locus Increases the Risk of Thiazolinedinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes

Care, 2010 Jul 13. PMID 20628086.Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.New genetic associations detected in a host response study to hepatitis B vaccine. Davila S, et al. Genes Immun, 2010 Apr. PMID 20237496.Crystallization and preliminary X-ray crystallographic analysis of human FAF1 UBX domain. Kang W, et al. Acta Crystallogr Sect F Struct Biol Cryst Commun, 2010 Feb 1. PMID 20124726.Crystallization and preliminary X-ray crystallographic analysis of the N domain of p97/VCP in complex with the UBX domain of FAF1. Shin HY, et al. Acta Crystallogr Sect F Struct Biol Cryst Commun, 2010 Jan 1. PMID 20057067.


### **Images**




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa) .



FAF1 monoclonal antibody (M01), clone 1A10 Western Blot analysis of FAF1 expression in HeLa ( (Cat # AT1991a )



Immunofluorescence of monoclonal antibody to FAF1 on HeLa cell. [antibody concentration 30 ug/ml]



Detection limit for recombinant GST tagged FAF1 is 0.1 ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.