

# FBLN1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant FBLN1. Catalog # AT2009a

#### **Product Information**

Application WB, IP
Primary Accession P23142
Other Accession BC022497
Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2a Kappa

Clone Names 4C9

### **Additional Information**

Other Names Fibulin-1, FIBL-1, FBLN1

Target/Specificity FBLN1 (AAH22497, 151 a.a. ~ 250 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IP~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** FBLN1 Antibody (monoclonal) (M01) is for research use only and not for use

in diagnostic or therapeutic procedures.

## **Background**


Fibulin 1 is a secreted glycoprotein that becomes incorporated into a fibrillar extracellular matrix. Calcium-binding is apparently required to mediate its binding to laminin and nidogen. It mediates platelet adhesion via binding fibrinogen. Four splice variants which differ in the 3' end have been identified. Each variant encodes a different isoform, but no functional distinctions have been identified among the four variants.

#### References

All-trans retinoic acid regulates the expression of the extracellular matrix protein fibulin-1 in the guinea pig sclera and human scleral fibroblasts. Li C, et al. Mol Vis, 2010 Apr 15. PMID 20405022.Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Application of gene network analysis techniques identifies AXIN1/PDIA2 and endoglin haplotypes associated with bicuspid aortic valve. Wooten EC, et al. PLoS One, 2010 Jan 21. PMID 20098615.Fibulin-1 and fibrinogen in human atherosclerotic lesions. Argraves WS, et al.

Histochem Cell Biol, 2009 Nov. PMID 19693531.Expression of ECM proteins fibulin-1 and -2 in acute and chronic liver disease and in cultured rat liver cells. Piscaglia F, et al. Cell Tissue Res, 2009 Sep. PMID 19609566.

## **Images**



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa).

FBLN1 monoclonal antibody (M01), clone 4C9 Western Blot analysis of FBLN1 expression in A-431 ( (Cat # AT2009a )

Western Blot analysis of FBLN1 expression in transfected 293T cell line by FBLN1 monoclonal antibody (M01), clone 4C9.

Lane 1: FBLN1 transfected lysate(74.4 KDa). Lane 2: Non-transfected lysate.

Immunoprecipitation of FBLN1 transfected lysate using anti-FBLN1 monoclonal antibody and Protein A Magnetic Bead (U0007), and immunoblotted with FBLN1 MaxPab rabbit polyclonal antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.